

according to Regulation (EC) No 1907/2006

# ALIS Decking Oil No. 579

Print date: 24.02.2016

Product code: 579

Page 1 of 7

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

ALIS Decking Oil No. 579

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

For exterior use on timber such as teak, Bangkirai, larch, Douglas fir and cedar. As an initial treatment for wooden terraces, facades and windows.

### 1.3. Details of the supplier of the safety data sheet

Company name:	LIVOS Pflanzenchemie Forschungs	s- und
	Entwicklungs GmbH & Co. KG	
Street:	Auengrund 10	
Place:	D-29559 Wrestedt	
Telephone:	+49(0)5825-88-0	Telefax:+49(0)5825-8864
e-mail:	info@livos.de	
Internet:	www.livos.de	
Responsible Department:	Produktsicherheit / Product Safety,	Email: service@livos.de
1.4. Emergency telephone	+49 (0)6132-84463 (24h - GBK Gm	nbH)

# <u>number:</u>

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

This mixture is not classified as hazardous according to Regulation (EC) No. 1272/2008.

## 2.2. Label elements

## **Precautionary statements**

P102	Keep out of reach of children.
P301+P310	IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a doctor.

### Special labelling of certain mixtures

EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains limonene (orange oil), Cobalt (2+)salts. May produce an allergic reaction.

### 2.3. Other hazards

Always be sure to store and then dispose of cleaning cloths, polishing pads, sponges, etc. that are still wet or even slightly moist with LIVOS oil in an airtight metal container or in water, as there is a danger of spontaneous combustion caused by the plant oil content. The product itself will not combust spontaneously. In case of insufficient ventilation and use, explosive/flammable mixtures may develop.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Depending on the color possibly different ingredients : Isoaliphates, linseed oil - stand oil - natural resin ester, wood oil, micronized wax, mineral pigments, titanium dioxide, linseed oil, silicic acid, orange oil, dehydrated amino sugar, castor oil - stand oil, linseed oil - wood oil - stand oil, linseed oil - stand oil, pine oil, soya lecithin, chalk, kaolin, and drying agents free of lead (Ca, Co, Zn, Zr).



according to Regulation (EC) No 1907/2006

## ALIS Decking Oil No. 579

Print date: 24.02.2016

Product code: 579

Page 2 of 7

## Hazardous components

CAS No	Chemical name			Quantity	
	EC No	EC No Index No REACH No			
	Classification according to Regulati	on (EC) No. 1272/2008 [CLP]			
90622-58-5	Isoaliphate		40 - < 50 %		
	918-167-1		01-2119472146-39		
	Asp. Tox. 1; H304				

Full text of H and EUH statements: see section 16.

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

### After contact with skin

Wash the affected area with soap and water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

## After ingestion

Do NOT induce vomiting. Call a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2)., Extinguishing powder, Water spray jet. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Always be sure to store and then dispose of cleaning cloths, polishing pads, sponges, etc. that are still wet or even slightly moist with LIVOS oil in an airtight metal container or in water, as there is a danger of spontaneous combustion caused by the plant oil content. The product itself will not combust spontaneously.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**



according to Regulation (EC) No 1907/2006

# ALIS Decking Oil No. 579

Print date: 24.02.2016

Product code: 579

Page 3 of 7

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Provide adequate ventilation.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

### Advice on safe handling

Keep container tightly closed. Provide adequate ventilation as well as local exhaustion at critical locations.

### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Keep away from heat.

# 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep in a cool, well-ventilated place. Keep away from heat.

# Advice on storage compatibility

No special measures are necessary.

### 7.3. Specific end use(s)

For exterior use on timber such as teak, Bangkirai, larch, Douglas fir and cedar. As an initial treatment for wooden terraces, facades and windows.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

### Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

### Eye/face protection

Eye glasses with side protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006

# ALIS Decking Oil No. 579

Print date: 24.02.2016

Product code: 579

Page 4 of 7

# SECTION 9: Physical and chemical properties

1. Information on basic physical and	chemical properties	
Physical state:	liquid	
Colour:	different colors	
Odour:	characteristic	
		Test method
pH-Value:	not applicable	e
Changes in the physical state		
Melting point:	not determined	b
Initial boiling point and boiling range:	> 100 °C	2
Flash point:	> 61 °C	2
Flammability		
Solid:	not applicable	e
Gas:	not applicable	e
Explosive properties		
In case of insufficient ver	ntilation and/or through use, explosive/highly flammable	mixtures may develop.
Lower explosion limits:		
Upper explosion limits:		
Ignition temperature:	> 200 °C	
Auto-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	e
Decomposition temperature:	not determine	b
Oxidizing properties		
No data available		
Vapour pressure:	not determine	d
Density (at 20 °C):	ca. 0,89 g/cm	3
Water solubility:	insoluble	e
Solubility in other solvents		
not determined		
Partition coefficient:	not determine	b
Vapour density:	not determine	b
Evaporation rate:	not determine	b
2. Other information		
Solid content:	not determined	b
No information available.		

# SECTION 10: Stability and reactivity

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability



according to Regulation (EC) No 1907/2006

# ALIS Decking Oil No. 579

Print date: 24.02.2016

Product code: 579

Page 5 of 7

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from heat.

### 10.5. Incompatible materials

Strong acid. Oxidising agent, strong

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure routes	Method	Dose	Species	Source
90622-58-5	Isoaliphate				
	oral	LD50	> 5000 mg/kg	Rat	
	dermal	LD50	> 5000 mg/kg	Rabbit	

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

## STOT-single exposure

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

### The product has not been tested.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source
90622-58-5	Isoaliphate					
	Acute fish toxicity	LC50	> 1000 mg/l	96 h	fish	
	Acute algae toxicity	ErC50	> 1000 mg/l	72 h	Algae	
	Acute crustacea toxicity	EC50	> 1000 mg/l	48 h	Daphnia magna	

## 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.



according to Regulation (EC) No 1907/2006

# ALIS Decking Oil No. 579

Print date: 24.02.2016

Product code: 579

Page 6 of 7

## 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.6. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

## Land transport (ADR/RID)

### Other applicable information (land transport)

No dangerous good in sense of these transport regulations.

## Inland waterways transport (ADN)

#### Other applicable information (inland waterways transport)

No dangerous good in sense of these transport regulations.

## Marine transport (IMDG)

#### Other applicable information (marine transport)

No dangerous good in sense of these transport regulations.

## Air transport (ICAO)

#### Other applicable information (air transport)

No dangerous good in sense of these transport regulations.

## 14.6. Special precautions for user

No information available.

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
2010/75/EU (VOC):	ca. 45%
2004/42/EC (VOC):	400 g/l

# Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

## National regulatory information



according to Regulation (EC) No 1907/2006

## ALIS Decking Oil No. 579

Print date: 24.02.2016

Product code: 579

Page 7 of 7

Water contaminating class (D):

2 - water contaminating

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2,3,7,9,11,15.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road ) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

# Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH208	Contains limonene (orange oil), Cobalt (2+)salts. May produce an allergic reaction.

### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)