

Order	3485.1
Measurement	191203-10313-22196-1



# **Test Report**

ISO 22196 (Mod)

Measurement of antibacterial activity on plastic surfaces

## **Test object:**

MIG-ESP Interior Anti-Microbial against Staphylococcus aureus DSM 21979 (MRSA)



Order	3485.1
Measurement	191203-10313-22196-01

## **Test Report ISO 22196 (Mod)**

Client:	MIG MDH
Address:	Am Grarock 3 33154 Salzkotten
Order number:	3485.1
Test object:	MIG-ESP Interior Anti-Microbial against Staphylococcus aureus DSM 21979 (MRSA)
Sample description:	Wall paint
Sample receipt date:	02.12.2019
Type of test:	ISO 22196-2007: Measurement of antibacterial activity on Plastic surfaces
Test germ:	Staphylococcus aureus DSM21979 EDCC 5247
Test laboratory:	QualityLabs BT GmbH
Address:	Neumeyerstraße 46a 90411 Nürnberg
Measurement:	191203-10313-22196-02
Sample material:	n.b.
Number of pages:	7
Test report to the client:  Laboratory management:	Place and date of completion: Nuremberg, 06.12.2019 Recipient: MIG mbH  Harald Gerauer Laboratory Manager
Released:	QualityLabs BT GmbH  Markus Zehe  Managing Director  QualityLabs BT GmbH



Order	3485.1
Measurement	191203-10313-22196-01

#### **Declaration on quality assurance**

This test was conducted and monitored in accordance with the standard operating protocol "SOP to ISO 22196 (Mod)" of QualityLabs BT GmbH. Laboratory and process are continuously monitored by independent external bodies and by internal audits.

#### **Archiving**

A copy of the test report, a protocol of the measurement and related correspondence and commercial documents are archived by QualityLabs BT GmbH. The retention period is at least 10 years.

#### **Test description**

The antibacterial activity is determined according to a modified version of ISO 22196.

When carrying out the test, a thin liquid film containing the bacteria  $(1.25 \times 104 / \text{cm2})$  is applied directly to the test specimen (5 cm x 5 cm). A film (4 cm x 4 cm) is then applied (Stomacher-Bags) to prevent drying out. Immediately after inoculation, the bacteria are removed from the test specimen surfaces and the covering film by means of ultrasound and vortexing from the zero sample and the bacterial count (CFU), colony-forming unit) is determined (t0 value). A further set of zero specimens and antimicrobially equipped specimens are incubated with bacteria in the liquid film (with covering foil) in a moist environment at  $37^{\circ}$ C. After at least 24h, surviving bacteria are removed from the specimen surfaces and the covering film by means of ultrasound and vortexing and the bacterial count is determined (t24 value).



Order	3485.1
Measurement	191203-10313-22196-01

## **Evaluation of antimicrobial activity**

The evaluation criterion for passing the antimicrobial test is a logarithmic reduction of the antimicrobial sample in comparison to the corresponding reference sample of ≥ 3 log levels.

Germ reduction [log levels]	Evaluation
< 3	No sufficient antimicrobial activity
≥ 3	Sufficient antimicrobial activity



Order	3485.1
Measurement	191203-10313-22196-01

#### Information on test conditions

Test conditions				
Specimen size	25	cm <sup>2</sup>		
Film size	16	cm <sup>2</sup>		
Volume of inoculum	400	μl		
Specimen cleanup	-	-		

Information on deviations, pre-incubations, special test conditions

**NONE** 



#### Prüfbericht ISO 22196 (Mod)

Order	3485.1
Measurement	191203-10313-22196-01

## **Test results**

	Specimen name	Specimen code		t <sub>0</sub> [cells/cm <sup>2</sup> ]			t <sub>24</sub> [cells/cm²]	ı	Reduction [%]	Log reduction
1	Leneta film	103130212190001	9.0 x 10 <sup>4</sup>	4.2 x 10 <sup>4</sup>	3.2 x 10 <sup>4</sup>	2.0 x 10 <sup>5</sup>	1.7 x 10 <sup>5</sup>	1.7 x 10 <sup>5</sup>	-	Zero specimen
2	MIG-ESP Interior	103130212190002	6.9 x 10 <sup>5</sup>	8.0 x 10 <sup>4</sup>	1.1 x 10 <sup>5</sup>	< 1.0 x 10 <sup>1</sup>	< 1.0 x 10 <sup>1</sup>	< 1.0 x 10 <sup>1</sup>	> 99.99	> 4
3	MIG-ESP Interior Anti- Microbial	103130212190003				< 1.0 x 10 <sup>1</sup>	< 1.0 x 10 <sup>1</sup>	< 1.0 x 10 <sup>1</sup>	> 99.99	> 4

<sup>\*</sup>refer to "Metrological interpretation" S. 6

Test strain	Staphylococcus aureus DSM21979 EDCC 5247
Initial number of germs in the inoculum / cm <sup>2</sup>	<b>1.25 x 10<sup>4</sup></b> (corresponding to 5.0 x 10 <sup>5</sup> /ml)
Name abbreviation of the operator	JJ
Measurement completed on	06.12.2019



#### Prüfbericht ISO 22196 (Mod)

Order	3485.1
Measurement	191203-10313-22196-01

Commen	ts on t	test s	pecimens
--------	---------	--------	----------

None

#### Metrological interpretation of the results

The zero sample provided by the client (MIG-ESP Interior, sample code: 103130212190002) showed an antimicrobial effect, as did the sent active sample (MIG-ESP Interior Anti-Microbial, sample code: 103130212190003). As an additional antimicrobial control, Leneta film was tested, which as expected showed no effect.

Test conducted by: Ms. Jovanovic	Verified by: Mr. Zehe

#### References

ISO 22196-07: Plastics — Measurement of antibacterial activity on plastics surfaces

DE 24.09.2014 TN